


Hole saws series

FOCHAN TOOLS
Web site:www.chinalegong.com



墙壁开孔器
Hole saws for concrete



D Drilling ϕ mm	30	35	40	45	50	55	60	65	70	75	80	85	90
L Total Length mm	70	70	70	70	70	70	70	70	70	70	70	70	70

D Drilling ϕ mm	95	100	105	110	120	125	130	135	140	150	160	170
L Total Length mm	70	70	70	70	70	70	70	70	70	70	70	70

Centre Drill Bit **8x110mm**



Hexagonal Shank



SDS-plus Shank



SDS-max Shank



Hexagonal Shank



Square Shank




L Shank length mm 110, 130, 200, 350, 450, 530, 600, 1000


>> page 37

连接杆
Adaptor


FC 1501
SDS Adaptor 1/2″ - 20 UNF




FC 1502
SDS Adaptor 1/2″ - 20 UNF



FC 1503
1/4 ″ Hexagonal Shank Adaptor
3/8″ -24UNF



FC 1504
1/4 ″ Hexagonal Shank Adaptor
1/2″ -20UNF



FC 1505
1/4 ″ Hexagonal Adaptor With
Quick Exchange



FC 1506
SDS- Adaptor With Quick Exchange




>> page 38

开孔器
Hole saws


FC 1507
Forstner Drill Bits
15~165mm




FC 1508
Lock Hole Saw
25~100mm



FC 1509
Carbide Tips Hole Saw
15~120mm



FC 1510
Hss Hole Saw
14~80mm



FC 1511
M42 Bi-metal Hole Saw
15~165mm



FC 1512
M42 Bi-metal Hole Saw
15~220mm



>> page 39

木工开孔器
Corpenter piercer



FC 1513
Forstner bits(5 pcs set)

15 mm
20 mm
25 mm
30 mm
35 mm



FC 1514
Forstner bits(5 pcs set)

15 mm
20 mm
25 mm
30 mm
35 mm



FC 1515
Forstner bits(7 pcs set)

6	1/4″	19	3/4″
10	3/8″	22	7/8″
12	1/2″	25	1″
16	5/8″		



FC 1516
Forstner bits(16 pcs set)

6	1/4″	25	1″	45	1-3/4″
10	3/8″	28	1-1/8″	48	1-7/8″
12	1/2″	32	1-1/4″	51	2″
16	5/8″	35	1-3/8″	54	2-1/8″
19	3/4″	38	1-1/2″		
22	7/8″	41	1-5/8″		

>> page 40

金属开孔器
Metal hole saws

FC 1517
M42 Bi-Metal Hole Saws



FC 1518
Hss Hole Saws





FC 1519
Hex Shank 3/8″ ,Chuck size 3/8″
Thread size 1/2″ -20UNF
Fit Hole Saws 9/16″ to 1-3/16″ Diameter



FC 1520
Hex Shank 7/16″ ,Chuck size 1/2″
Thread size 1/2″ -20UNF
Fit Hole Saws 9/16″ to 1-3/16″ Diameter




FC 1521
Hex Shank 7/16″ ,Chuck size 1/2″
Thread size 5/8″ -18UNF;
Quick change
Fit Hole Saws 1-1/4″ to 1-7/8″ Diameter



FC 1522
Hex Shank 7/16″ ,Chuck size 1/2″
Thread size 5/8″ -20UNF
Fit Hole Saws 1-3/4″ to 3″ Diameter

>> page 41



ochan

HSS twist drills series

FOCHAN TOOLS
Web site:www.chinalegong.com



Favorite of both the DIY and industrial markets.The general purpose, 118 degeree point,ideat for portable and machine drilling .Designed to perform in low and medium carbon steel.cast iron and wood.The 135 degree split point is self-centreing and reduces thrust.Ideal for portable or machine drilling of low tensile strength alloy meterial,stainless steel, and other medium duty applications.Available in bright finish, black oxide,titanium nitride coated,bronze color oxide.More choices for consumer.



麻花钻头
HSS Twist Drill Bits

直径 Diameter of Drill L mm	直径 Diameter of Drill L inch	总长 Overall Length(mm)	槽长 Flute Length(mm)
0.5		22	6
0.55		24	7
0.58		24	7
0.6		24	7
0.65		26	8
0.68		28	9
0.7		28	9
0.75		28	9
0.78		30	10
	1/32″	35	13
0.8		30	10
0.85		30	10
0.88		32	11
0.9		32	11
0.95		32	11
0.98		34	12
1		34	12
1.05		34	12
1.15		36	14
	3/64″	44	19
1.2		38	16
1.3		38	16
1.35		40	18
1.4		40	18
1.5		40	18
1.55		43	20
	1/16″	48	22
1.6		43	20
1.65		43	20
1.7		43	20
1.75		46	22
1.8		46	22
1.85		46	22
1.9		46	22
1.95		49	24

直径 Diameter of Drill L mm	直径 Diameter of Drill L inch	总长 Overall Length(mm)	槽长 Flute Length(mm)
	5/64″	51	25
2		49	24
2.05		49	24
2.1		49	24
2.15		53	27
2.2		53	27
2.25		53	27
2.3		53	27
2.35		53	27
	3/32″	57	32
2.4		57	30
2.45		57	30
2.5		57	30
2.55		57	30
2.6		57	30
2.65		57	30
2.7		61	33
2.75		67	38
	7/64″	61	33
2.8		61	33
2.85			
		61	33
2.9		67	33
2.95		61	33
3		61	36
3.1			
	1/8″	70	41
3.2		65	36
3.25		65	36
3.3		65	36
3.4		70	39
3.5		70	39
	9/64″	76	48
3.6		70	39
3.7		70	39
3.75		70	39

Meterial type: A:4341# B:9341# C:6542#

Color: A:BLACK B:WHITE C:TIN COATED

>> page 43



麻花钻头
HSS Twist Drill Bits

直径 Diameter of Drill L mm	直径 Diameter of Drill L inch	总长 Overall Length(mm)	槽长 Flute Length(mm)
3.8		75	43
3.9		75	43
	5/32″	79	51
4		75	43
4.1		75	43
4.2		75	43
4.25		75	43
4.3		80	47
	11/64″	83	54
4.4		80	47
4.5		80	47
4.6		80	47
4.7		80	47
4.75		80	47
	3/16″	89	59
4.8		86	52
4.9		86	52
5		86	52
5.1		86	52
	13/64″	92	62
5.2		86	52
5.25		86	52
5.3		86	52
5.4		93	57
5.5		93	57
	7/32″	95	61
5.6		93	57
5.75		93	57
5.8		93	57
5.9		93	57
	15/64″	98	67
6		93	57
6.1		101	57
6.2		101	63
6.25		101	63
6.3		101	63

直径 Diameter of Drill L mm	直径 Diameter of Drill L inch	总长 Overall Length(mm)	槽长 Flute Length(mm)
	1/4″	102	70
6.4		101	63
6.5		101	63
6.7		101	63
	17/64″	105	73
6.75		109	69
6.9		109	69
7		109	69
7.1		109	69
	9/32″	108	75
7.2		109	69
7.25		109	69
7.3		109	69
7.5		109	69
	19/64″	111	78
7.6		117	75
7.7		117	75
7.8		117	75
7.9		117	75
	5/16″	114	81
8		117	75
8.1		117	75
8.25		117	75
8.3		117	75
	21/64″	117	84
8.4		117	75
8.5		117	75
8.7		125	81
	11/32″	121	81
8.75		125	81
8.8		125	81
9		125	81
9.1		125	81
	23/64″	124	89
9.2		125	81
9.25		125	81

Meterial type: A:4341# B:9341# C:6542#

Color: A:BLACK B:WHITE C:TIN COATED



麻花钻头
HSS Twist Drill Bits

直径 Diameter of Drill L mm	直径 Diameter of Drill L inch	总长 Overall Length(mm)	槽长 Flute Length(mm)
9.3		125	81
9.4		125	81
9.5		125	81
	3/8″	127	92
9.6		133	87
9.7		133	87
9.75		133	87
9.8		133	87
9.9		133	87
	25/64″	130	95
10		133	87
10.2		133	87
10.25		133	87
10.3		133	87
	13/32″	133	98
10.4		133	87
10.5		133	87
10.6		133	87
10.7		142	94
	27/64″	140	103
10.75		142	94
10.8		142	94
10.9		142	94
11		142	94
11.1		142	94
		143	106
	7/16″		
11.2		142	94
11.25		142	94
11.3		142	94
11.4		142	94
11.5		142	94
	29/64″	143	106
11.6		142	94
11.7		142	94
11.75		142	94

直径 Diameter of Drill L mm	直径 Diameter of Drill L inch	总长 Overall Length(mm)	槽长 Flute Length(mm)
11.8		142	94
11.9		151	101
	15/32″	146	110
12		151	101
12.1		151	101
12.2		151	101
12.25		151	101
12.3		151	101
	31/64″	152	114
12.4		151	101
12.5		151	101
12.6		151	101
12.7		151	101
	1/2″	152	114
12.75		151	101
12.8		151	101
12.9		151	101
13.0		151	101
13.1		151	101
	33/64″	168	122
13.2		151	101
13.25		160	108
13.3		160	108
13.4		168	108
	17/32″	160	122
13.5		160	108
13.6		160	108
13.7		160	108
13.9	35/64″	168	122
14		160	108

Meterial type: A:4341# B:9341# C:6542#


Color: A:BLACK B:WHITE C:TIN COATED

>> page 45

麻花钻套装
HSS Twist drill bits set



5PCS TWIST DRILL SET
H501-1 black finished
H501-2 edge ground
H501-3 edge ground tin coated
H501-4 fully ground bright
H501-5 fully ground black finished
H501-6 fully ground tin coated
Size(mm):1.5, 2.5, 3, 4, 5, mm
Packing Inner:Plastic Box
Outer:Carton
N.W/G.W:23/24kgs
Meast:40X40X37cm



7PCS TWIST DRILL SET
H701-1 black finished
H701-2 edge ground
H701-3 edge ground tin coated
H701-4 fully ground bright
H701-5 fully ground black finished
H701-6 fully ground tin coated
Size(mm):1.5, 2, 3, 4, 5, 5.5, 6mm
Packing Inner:Plastic Box
Outer:Carton
N.W/G.W:12/14kgs
Meast:40X25X18cm




5PCS TWIST DRILL SET
H502-1 black finished
H502-2 edge ground
H502-3 edge ground tin coated
H502-4 fully ground bright
H502-5 fully ground black finished
H502-6 fully ground tin coated
Size(mm):4, 5, 6, 8, 10mm
Packing Inner:Plastic Box
Outer:Carton
N.W/G.W:14/15kgs
Meast:40X25X18cm



8PCS TWIST DRILL SET
H801-1 black finished
H801-2 edge ground
H801-3 edge ground tin coated
H801-4 fully ground bright
H801-5 fully ground black finished
H801-6 fully ground tin coated
Size(mm):3-10X1mm
Inner Packing:PVC Bag
Outer:Carton
N.W/G.W:17/18kgs
Meast:48X23X17cm



6PCS TWIST DRILL SET
H601-1 black finished
H601-2 edge ground
H601-3 edge ground tin coated
H601-4 fully ground bright
H601-5 fully ground black finished
H601-6 fully ground tin coated
Size(mm):2, 3, 4, 5, 6, 8mm
Packing Inner:Plastic Box
Outer:Carton
N.W/G.W:17/18kgs
Meast:45X27X19cm




8PCS TWIST DRILL SET
H802-1 black finished
H802-2 edge ground
H802-3 edge ground tin coated
H802-4 fully ground bright
H802-5 fully ground black finished
H802-6 fully ground tin coated
Size(mm):3-10X1mm
Inner Packing:Plastic Box
Outer:Carton
N.W./G.W.:17/18kgs
Meast:40X34.5X24cm


麻花钻套装
HSS Twist drill bits set



10PCS TWIST DRILL SET
H1001-1 black finished
H1001-2 edge ground
H1001-3 edge ground tin coated
H1001-4 fully ground bright
H1001-5 fully ground black finished
H1001-6 fully ground tin coated
Size(mm):1-10X1mm
Inner Packing:Plastic Box
Outer:Carton
N.W./G.W.:18-19kgs
Meast:48X34.5X24cm




13PCS TWIST DRILL SET
H1303-1 black finished
H1303-2 edge ground
H1303-3 edge ground tin coated
H1303-4 fully ground bright
H1303-5 fully ground black finished
H1303-6 fully ground tin coated
Size(mm):1.5-6.5X0.5+3.2X4.8mm
Packing; Inner: Plastic Box
Outer:Carton
N.W./G.W.:13/14kgs
Meast:40X25X18cm




13PCS TWIST DRILL SET
H1301-1 black finished
H1301-2 edge ground
H1301-3 edge ground tin coated
H1301-4 fully ground bright
H1301-5 fully ground black finished
H1301-6 fully ground tin coated
Size(mm):1.5-6.5X0.5+3.2X4.8mm
Inner Packing:Plastic Box
Outer:Carton
N.W./G.W.:16/17kgs
Meast:40X25X18cm



13PCS TWIST DRILL SET
H1304-1 black finished
H1304-2 edge ground
H1304-3 edge ground tin coated
H1304-4 fully ground bright
H1304-5 fully ground black finished
H1304-6 fully ground tin coated
Size(mm):1.5-6.5X0.5+3.2+4.8mm
Inner Packing: Plastic Step Box
Outer:Carton
N.W./G.W.:14/15kgs
Meast:42X40X15cm




13PCS TWIST DRILL SET
H1302-1 black finished
H1302-2 edge ground
H1302-3 edge ground tin coated
H1302-4 fully ground bright
H1302-5 fully ground black finished
H1302-6 fully ground tin coated
Size(mm):2-8X0.5mm
Inner Packing: Plastic Box
Outer:Carton
N.W./G.W.:16/17kgs
Meast:48X34.5X24cm



13PCS TWIST DRILL SET
H1305-1 black finished
H1305-2 edge ground
H1305-3 edge ground tin coated
H1305-4 fully ground bright
H1305-5 fully ground black finished
H1305-6 fully ground tin coated
Size(inch):1/16-1/4X1/64inch
Inner Packing:Metal Box
Outer:Carton
N.W./G.W.:18/19kgs
Meast:40X25X19cm

>> page 47


麻花钻套装
HSS Twist drill bits set



13PCS TWIST DRILL SET
H1305-1 black finished
H1305-2 edge ground
H1305-3 edge ground tin coated
H1305-4 fully ground bright
H1305-5 fully ground black finished
H1305-6 fully ground tin coated
Size(inch):1.5-6.5x0.5+3.2+4.8mm
Packing; Inner: Metal Box
Outer:Carton
N.W./G.W.:18/19kgs
Meast:40X25X19cm



13PCS TWIST DRILL SET
H1306-1 black finished
H1306-2 edge ground
H1306-3 edge ground tin coated
H1306-4 fully ground bright
H1306-5 fully ground black finished
H1306-6 fully ground tin coated
Size(inch):1/16-1/4X1/64
Inner Packing:Metal Box with window
Outer:Carton
N.W./G.W.:19/20kgs
Meast:40X25X18cm



19PCS TWIST DRILL SET
H1901-1 black finished
H1901-2 edge ground
H1901-3 edge ground tin coated
H1901-4 fully ground bright
H1901-5 fully ground black finished
H1901-6 fully ground tin coated
Size(mm):1.0-10.0X0.5mm
Inner Packing:Metal Box with Window
Outer:Carton
N.W./G.W.:28/29kgs
Meast:47X41X17cm




19PCS TWIST DRILL SET
H1902-1 black finished
H1902-2 edge ground
H1902-3 edge ground tin coated
H1902-4 fully ground bright
H1902-5 fully ground black finished
H1902-6 fully ground tin coated
Size(mm): 4, 5, 6, 8, 10mm
Packing; Inner: Plastic Box
Outer:Carton
N.W./G.W.: 16/17kgs
Meast: 40x34x19cm



19PCS TWIST DRILL SET
H1903-1 black finished
H1903-2 edge ground
H1903-3 edge ground tin coated
H1903-4 fully ground bright
H1903-5 fully ground black finished
H1903-6 fully ground tin coated
Size(mm): 1.0-7.0x0.5mm
+8-13mmx1mm
Packing; Inner: Plastic Box
Outer:Carton
N.W./G.W.: 26/28kgs
Meast: 64x36x22cm

>> page 48



ochan


Carbide tips circular saw blades series

FOCHAN TOOLS
Web site:www.chinalegong.com




T.C.T.circular saw blades are very sharp and durable, redaizing smooth and fast cutting.They have been widely used in cutting of timbers,laminated woods,plastic and non-ferrous metals,and other materials.


锯木
For Wood






编 号 Code	外径 Dia.(mm)	齿数 Teeth(T)	内孔直径 Inner Hole Dia.(mm)
FC1811024	110	24T	20
FC1811030	110	30T	20
FC1812524	125	24T	20
FC1812530	125	30T	20
FC1815040	150	40T	25.4
FC1815060	150	60T	25.4
FC1818040	180	40T	25.4
FC1818060	180	60T	25.4
FC1820040	200	40T	25.4
FC1820060	200	60T	25.4
FC1823040	230	40T	25.4
FC1823060	230	60T	25.4
FC1825040	250	40T	25.4
FC1825060	250	60T	25.4
FC1825080	250	80T	25.4
FC1830040	300	40T	30
FC1830060	300	60T	30
FC1830080	300	80T	30
FC1835040	350	40T	30
FC1835060	350	60T	30
FC1835080	350	80T	30
FC1840040	400	40T	30
FC1840060	400	60T	30
FC1840080	400	80T	30
FC1845040	450	40T	30
FC1845060	450	60T	30
FC1845080	450	80T	30
FC1850040	500	40T	30
FC1850060	500	60T	30
FC1850080	500	80T	30
FC1855040	550	40T	30
FC1855060	550	60T	30
FC1855080	550	80T	30
FC1860040	600	40T	30
FC1860060	600	60T	30
FC1860060	600	80T	30







锯铝
For Aluminum





编 号 Code	外径 Dia.(mm)	齿数 Teeth(T)	内孔直径 Inner Hole Dia.(mm)
FC1811040	110	40T	20
FC1812540	125	40T	20
FC1818080	180	80T	25.4
FC1820080	200	80T	25.4
FC18200100	200	100T	25.4
FC1823080	230	80T	25.4
FC18230100	230	100T	25.4
FC1825080	250	80T	25.4
FC18250100	250	100T	25.4
FC18250120	250	120T	25.4
FC18300100	300	100T	30
FC18300120	300	120T	30
FC18350100	350	100T	30
FC18350120	350	120T	30
FC18400100	400	100T	30
FC18400120	400	120T	30
FC18450100	450	100T	30
FC18450120	450	120T	30
FC18500100	500	100T	30
FC18500120	500	120T	30
FC18550100	550	100T	30
FC18550120	550	120T	30
FC18600100	600	100T	30
FC18600120	600	120T	30





>> page 51



ochan


Screwdriver bits series

FOCHAN TOOLS
Web site:www.chinalegong.com



批咀系列
Screwdriver Bits Series

FC 1901
Single End Bits



FC 1902
Double End Bits



FC 1903
Single End Bits



Meterial type:	A:9SiCr	B:S2(Domestic)	C:6150	D:S2(Imported)
Color:	A:(PRIMITIVE COLOR)	B:(SANDBLAST)	C:(BLACK)	D:(GILT)
	E:(NICKEL-PLATED)	F:(BROWN)	G:(WHITE)	

>> page 53

批咀系列
Screwdriver Bits Series



十字双头批咀 Phillips double end bits

编号 Code	D(mm)	B(mm)	L(mm)
FC19PH02050	0#	6.35	50
FC19PH12050	1#	6.35	50
FC19PH22050	2#	6.35	50
FC19PH32050	3#	6.35	50
FC19PH12065	1#	6.35	65
FC19PH22065	2#	6.35	65
FC19PH32065	3#	6.35	65
FC19PH22065S	2#	ϕ6.0	65
FC19PH12075	1#	6.35	75
FC19PH22075	2#	6.35	75
FC19PH32075	3#	6.35	75
FC19PH120100	1#	6.35	100
FC19PH220100	2#	6.35	100
FC19PH320100	3#	6.35	100
FC19PH120125	1#	6.35	125
FC19PH220125	2#	6.35	125
FC19PH320125	3#	6.35	125
FC19PH120150	1#	6.35	150
FC19PH220150	2#	6.35	150
FC19PH320150	3#	6.35	150
FC19PH120200	1#	6.35	200
FC19PH220200	2#	6.35	200
FC19PH120250	1#	6.35	250
FC19PH220250	2#	6.35	250
FC19PH120300	1#	6.35	300
FC19PH220300	2#	6.35	300



米字双头批咀 Pozidriv double end bits

编号 Code	D(mm)	B(mm)	L(mm)
FC19PZ12050	1#	6.35	50
FC19PZ22050	2#	6.35	50
FC19PZ32050	3#	6.35	50
FC19PZ12065	1#	6.35	65
FC19PZ22065	2#	6.35	65
FC19PZ32065	3#	6.35	65
FC19PZ22065S	2#	ϕ6.0	65

25mm 单头批咀系列
25mm Single End Screwdriver Series

一字形批咀 Slotted bits



编号 Code	D(mm)	B(mm)	L(mm)
FC19SL2525	2.5	6.35	25
FC19SL3025	3.0	6.35	25
FC19SL4025	4.0	6.35	25
FC19SL4525	4.5	6.35	25
FC19SL5025	5.0	6.35	25
FC19SL5525	5.5	6.35	25
FC19SL6025	6.0	6.35	25
FC19SL7025	7.0	6.35	25

米字形批咀 Pozidriv bits



编号 Code	D(mm)	B(mm)	L(mm)
FC19PZ025	0#	6.35	25
FC19PZ125	1#	6.35	25
FC19PZ225	2#	6.35	25
FC19PZ325	3#	6.35	25

菊花形批咀 Torx bits



编号 Code	D(mm)	B(mm)	L(mm)
FC19T625	T6	6.35	25
FC19T725	T7	6.35	25
FC19T825	T8	6.35	25
FC19T925	T9	6.35	25
FC19T1025	T10	6.35	25
FC19T1525	T15	6.35	25
FC19T2025	T20	6.35	25
FC19T2525	T25	6.35	25
FC19T2725	T27	6.35	25
FC19T3025	T30	6.35	25
FC19T3525	T35	6.35	25
FC19T4025	T40	6.35	25
FC19T4525	T45	6.35	25

>> page 55

风批套筒系列
Pneumatic Holder Series

磁性风批套筒 Magnetic nut setter







编号 Code	D(mm)	L(mm)
FC1950MNS41	1/4″	50
FC1950MNS165	5/16″	50
FC1950MNS83	3/8″	50
FC1950MNS167	7/16″	50
FC1950MNS05	5mm	50
FC1950MNS55	5.5mm	50
FC1950MNS06	6mm	50
FC1950MNS07	7mm	50
FC1950MNS08	8mm	50
FC1950MNS09	9mm	50
FC1950MNS10	10mm	50
FC1950MNS11	11mm	50
FC1950MNS12	12mm	50
FC1950MNS13	13mm	50
FC1965MNS41	1/4mm	65
FC1965MNS165	5/16mm	65
FC1965MNS83	3/8mm	65
FC1965MNS167	7/16mm	65
FC1965MNS21	1/2mm	65
FC1965MNS05	5mm	65
FC1965MNS55	5.5mm	65
FC1965MNS06	6mm	65
FC1965MNS07	7mm	65
FC1965MNS08	8mm	65
FC1965MNS09	9mm	65
FC1965MNS10	10mm	65
FC1965MNS11	11mm	65
FC1950MNS12	12mm	65
FC1950MNS13	13mm	65